

從信號與系統到控制

單元：離散摺積-7


摺積計算 與 脈衝響應 對系統的影響

授課老師：連 豊 力

單元學習目標與大綱


- 離散 摺積計算
- 離散 脈衝響應
- 脈衝響應 對 系統輸出 的影響

離散 摺積計算



$x[n]$

*




*


$h[n]$

= $y[n]$

$$= \sum_{k=-\infty}^{+\infty} x[k] h[n - k]$$




離散 脈衝響應



脈衝響應 對 系統輸出 的影響

$n = 0$




$n = 1 \quad h[1]=b$



$$n = 1 \quad i * b$$

$n = 1$



$n = 0 \quad h[0]=a$



$$n = 1 \quad j * a$$

$n = -1$




$n = 2 \quad h[2]=c$




$$n = 1 \quad 0 * c$$

$$y[1] = q = 0 * c + i * b + j * a$$


$x[n]$




$h[n]$



$y[n]$




脈衝響應 對 系統輸出 的影響




$$y[1] = q = i * b + j * a$$

脈衝響應 對 系統輸出 的影響

$n = 0$



$n = 1$



$n = 2$



$$y[2] = r$$

$n = 2 \quad h[2] = c$



$$n = 2 \quad i * c$$

$n = 1 \quad h[1] = b$



$$n = 2 \quad j * b$$


$n = 0 \quad h[0] = a$




$$n = 2 \quad 0 * a$$

$$y[2] = r = i * c + j * b + 0 * a$$


$x[n]$




$h[n]$



$y[n]$




脈衝響應 對 系統輸出 的影響




$$y[2] = r = i * c + j * b$$

脈衝響應 對 系統輸出 的影響





脈衝響應 對 系統輸出 的影響

$$\sum_{k=-\infty}^{+\infty} x[k] h[n-k]$$




$y[n]$	$x[n]$	$h[n]$
5	5	0
4	1	1
3	2	2
2	3	3
1	4	4
0	5	5



參考文獻

- Alan V. Oppenheim, Alan S. Willsky, S. Hamid,
Signals & Systems,
Prentice Hall, 2nd Edition, 1997



- **SciLab:**
Open source software for numerical computation
<http://www.scilab.org/>